



YCM MV106A Vertical Machining Centre with MAX Control Year 2004

Stock No 28530

Spindle Speed/Power	8000 rpm 5.5/7.5/11kw
Spindle Taper	BT40
Front Bearing Diameter	70 mm
X-Axis Travel	1020 mm
Y-Axis Travel	600 mm
Z-Axis Travel	600 mm
Distance between Spindle/Table	80 - 680 mm
Table Size	1120 mm x 600 mm
Max. Load on Table	800kg
Rapid Feedrate	30/30/24 m/min
Cutting Feedrate	1-10,000 mm/min
Max Tool Weight	6kg/pc
Pull Stud	MAS-P40T-1
Power Consumption	34kVA
Machine Weight	6,500kg
Dimensions	3650mm x 2950mm x 2765mm

EQUIPMENT

Swarf Conveyor

Tooling

Manuals

ATC 24

Barry Street Works
Barry Street
Oldham
Greater Manchester
ENGLAND
OL1 3NE

t: +44 (0) 161 633 8880

e: info@gmmachinery.com

Descriptions and dimensions are given in good faith however these are not guaranteed and prospective purchasers are advised to check any vital information themselves. GM Machinery Ltd will not be held responsible for any mis-description.

In accordance with Health & Safety at Work Act 1974 this machine must be fitted with guards and it is condition of sale that the purchaser accepts full responsibility to ensure that suitable guards are fitted in order to comply in full with this act.